

# PRODUCT DATA SHEET

## DURO-LAST PITCH POCKET FILLER

### Description:

Duro-Last<sup>®</sup>, Inc. offers two choices of silicone sealant for use in pitch pockets only. These sealants are moisture resistant, reflective, impact resistant, and are formulated for adhesion to all types of building materials. Their high tack ensures a weather-tight seal around penetrations. They are excellent for use in areas subjected to stress and vibration as well as to expansion and contraction.

Both sealants are easy flowing and self-leveling. They will skin over in a few hours and cure within 48-72 hours. Mineral spirits should be used for cleanup.

Duro-Last<sup>®</sup>, Inc. provides these sealants in 10 oz. tubes. They are available in white or gray color. A single tube will fill a volume of approximately 18 cubic inches.

### Installation:

The pitch pocket must be clean and dry and fitted with a prefabricated flashing. Rectangular flashings must be terminated with termination bar or extended into the pitch pocket. Round flashings may be terminated with stainless steel bands or extended into the pitch pocket.

The bulk of the pitch pocket can be filled with material such as mortar sand, concrete or insulation. A slip-sheet is required between this material and the sealant. (See detail drawings 4030 & 4040). A minimum depth of ½-inch of sealant is required.



#1121  
Gray Color

#1120  
White Color

<b>Solubility</b>	Insoluble in water. Soluble in most solvents (use mineral spirits for clean-up).
<b>Impact Resistance</b>	High
<b>Texture</b>	Smooth
<b>Color</b>	Gray or White
<b>Odor</b>	Slight
<b>Cure Time</b>	48 – 72 hours
<b>Storage</b>	Tightly sealed container in cool dry environment.

For more information on these and other Duro-Last Products, contact the Duro-Last Engineering Services Department.

E-Mail: [engineering@duro-last.com](mailto:engineering@duro-last.com)

"Duro-Last" and the interlocking "DL" are registered marks owned by Duro-Last Roofing, Inc. October 2005



Duro-Last Roofing, Inc.  
525 Morley Drive  
Saginaw, MI 48601  
Ph: 1-800-248-0280  
Fax: 1-800-432-9331  
[www.duro-last.com](http://www.duro-last.com)