

# Safety Data Sheet Duro-Last®, Inc.

# Duro-Shield® Universal Primer

SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Duro-Shield® Universal Primer

Version:

**Identifier 1:** Acrylic Resin Primer

Identifier 2:N/AProduct Type:MixtureProduct Use:Roof Coating

**Company Information:** Duro-Last<sup>®</sup>, Inc.

525 W Morley Dr. Saginaw, MI 48601 Phone: (800) 248-0280

Internet Address: www.duro-last.com

24 Hour Emergency Contact: INFOTRAC

1-800-535-5053 (US & Canada) 1-352-323-3500 (International)

SECTION 2 HAZARD(S) IDENTIFICATION

**Emergency Overview:** This chemical is considered hazardous by the 2012 OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Precautionary Statements: Disposal

P501 - Dispose of contents/container in accordance with federal, state and

local regulations.

Other Hazards: Harmful to aquatic life with long lasting effects. 45% of the mixture consists of ingredients

of unknown toxicity.

#### SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous Ingredients

Chemical Name	CAS Number	Concentration (%)
Water	7732-18-5	50.00 - 60.00
Acrylic Co-Polymer	25035-69-2	30.00 – 40.00
Ethylene Glycol	107-21-1	0.00 - 10.00
Ester Alcohol	25265-77-4	0.00 - 10.00

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

SECTION 4	FIRST-AID MEASURES
Eye Contact:	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and
	continue flushing for at least 15 minutes. If eye irritation persists, get medical

to the least 15 instances. If eye instances, get included

advice/attention.

**Inhalation:** Move exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center

if individual's condition declines or if symptoms persist.

Duro-Shield® Universal Primer

**Skin Contact:** Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated

clothing and shoes. Wash contaminated clothing before reuse. If symptoms persist, call a

physician.

**Ingestion:** Not an expected route of exposure. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. Call a poison center or doctor/physician if you feel

unwell.

Most Important Symptoms and Effects, Both Acute and Delayed:

May cause skin and eye irritation.

**Protection of First-Aiders:** 

No action shall be taken involving any personal risk or without suitable training. Use personal protective equipment as required (see Section 8). Show this Safety Data Sheet to

the doctor in attendance.

Notes to Physician: Treat symptomatically.

SECTION 5	FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical. Carbon Dioxide (CO2). Sand. Use foam or water FOG as a

last resort.

Unsuitable Extinguishing Media:

Do not use a solid water stream as it may scatter and spread fire.

Hazardous Combustion Products:

Thermal decomposition may release irritating, corrosive and/or toxic gases, vapors and

fumes.

**Special Protective** 

**Equipment for Firefighters:** 

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

**Handling Precautions:** Use personal protection recommended in Section 8.

**Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

Prevent product from entering sewers, drains, or waterways. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological

Information.

Methods for Containment: Contain spillage with non-combustible absorbent material, e.g. sand, earth, diatomaceous

earth, vermiculite.

**Methods for Clean-Up:** Extremely slippery when spilled. Collect the absorbed material and transfer to properly

labeled containers for disposal according to federal, state, and local regulations (see Section

13).

#### SECTION 7 HANDLING AND STORAGE

Handling Precautions: Handle in accordance with good industrial hygiene and safety practice. Do not handle until

all safety precautions have been read and understood. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid

contact with skin and eyes. Use only outdoors.

**Storage Conditions:** Keep from freezing. Keep containers tightly closed in a cool, dry, well-ventilated place.

**Incompatible Materials:** Strong acids. Strong oxidizing agents.

#### **SECTION 8**

#### **EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Exposure Limits**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol	STEL: 50 ppm vapor fraction STEL: 10 mg/m <sup>3</sup> inhalable	(vacated) Ceiling: 50 ppm (vacated) Ceiling: 125 mg/m <sup>3</sup>	-
	particulate matter, aerosol only TWA: 25 ppm vapor fraction	, , ,	

**Engineering Measures:** None under normal outdoor use conditions.

**Hygiene Measures:** Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated

clothing before reuse.

**Personal Protective** 

**Respiratory Protection** 

**Equipment:** No protective equipment is needed under normal use conditions.

**Eye/Face Protection** 

Wear safety glasses with side shields (or goggles).

Skin and Body Protection

Wear protective gloves and protective clothing that is resistant to chemical penetration.

#### **SECTION 9** PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Liquid 11.0 to 11.4 lb/gal **Density:** 

Color: Amber **VOC Content:** < 50 g/l

Non-Flammable Odor: Low Flammability: Appearance: Viscous Vapor Pressure: 2.33 (kPa)

Flash Point: N/AVapor Density: 5.3 **Melting Point:** N/ARelative Density: N/AFreezing Point: 32°F (0°C) Specific Density: 1.1

**Boiling Point:** >212°F (>100°C) Solubility: Dispersible Autoignition Temperature: 626°F (330°C) **Explosive Properties:** Not Explosive

#### **SECTION 10** STABILITY AND REACTIVITY

Reactivity: No information available.

**Chemical Stability:** Stable under recommended storage conditions.

Possibility of Hazardous

Reactions:

None under normal processing.

Conditions to Avoid: No information available

**Incompatible Materials:** Strong acids and oxidizing agents.

**Hazardous Decomposition** 

**Products:** 

Combustion may produce Carbon Monoxide, Carbon Dioxide, and other asphyxiants.

#### TOXICOLOGICAL INFORMATION **SECTION 11**

#### Toxicity

Chemical Name	Oral LD <sub>50</sub>	Dermal LD <sub>50</sub>	Inhalation LC <sub>50</sub>
Water	> 90 mL/kg (Rat)	=	-
Ethylene Glycol	= 4700  mg/kg (Rat)	= 10600  mg/kg (Rat)	
		= $9530 \mu l/kg (Rabbit)$	-
Ester Alcohol	= 3200  mg/kg (Rat)	> 15200 mg/kg (Rat)	> 3.55 mg/L (Rat) 6h

#### Duro-Shield® Universal Primer

Likely Routes of Exposure: Eye Contact

Avoid contact with eyes. Contact with eyes may cause irritation.

Skin Contact

May cause irritation.

Inhalation

Avoid breathing vapors or mists.

Ingestion

Not an expected route of exposure. If swallowed, do not induce vomiting. Get medical

attention immediately.

#### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure:

Skin corrosion/irritation: Can cause skin irritation. Serious eye damage/eye irritation: Irritating to eyes.

Irritation: Irritating to eyes and skin.

Corrosivity: Not classified.

Sensitization: May cause sensitization of susceptible persons.

Germ cell mutagenicity: This product does not contain any ingredients that cause germ cell mutagenicity.

Carcinogenicity: None listed in ACGIH, IARC, NTP, or OSHA.

Numerical Measures of

The following value is calculated based on chapter 3.1 of the GHS document:

**Toxicity:** ATEmix (oral) 24,648.65

#### **SECTION 12**

## **ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Chemical Name	Algae/Aquatic Plants	Fish	Crustacea
Ethylene Glycol	6500 - 13000: 96 h	41000: 96 h Oncorhynchus mykiss	46300: 48 h Daphnia magna mg/L
	Pseudokirchneriella subcapitata	mg/L LC <sub>50</sub> 40761: 96 h	$EC_{50}$
	mg/L EC <sub>50</sub>	Oncorhynchus mykiss mg/L LC50	
		static 27540: 96 h Lepomis	
		macrochirus mg/L LC50 static 14 -	
		18: 96 h Oncorhynchus mykiss	
		mL/L LC <sub>50</sub> static 40000 - 60000: 96	
		h Pimephales promelas mg/L LC50	
		static 16000: 96 h Poecilia reticulata	
		mg/L LC <sub>50</sub> static	
Ester Alcohol	18.4: 72 h Pseudokirchneriella	30: 96 h Pimephales promelas mg/L	95: 96 h Daphnia magna mg/L LC <sub>50</sub>
	subcapitata mg/L EC <sub>50</sub>	$LC_{50}$	

8% of the mixture consists of components of unknown hazards to the aquatic environment.

Persistence/Degradability: No information available.

**Bioaccumulation:** Ethylene Glycol: -1.93 partition coefficient

Ester Alcohol: 3.47 partition coefficient

Other Adverse Effects: No information available.

### SECTION 13 DISPOSAL CONSIDERATIONS

**Disposal Methods:** Disposal of this product, solutions, and any by-products should at all times comply with

the requirements of environmental protection and waste disposal legislation and any

federal, state, and local requirements.

**Contaminated Packaging:** Do not reuse container.

# SECTION 14 TRANSPORT INFORMATION

Other Information: Non-regulated, not classified as dangerous.

#### SECTION 15 REGULATORY INFORMATION

**TSCA Inventory:** This product does not contain any chemicals that are listed as active in the United States

Toxic Substances Control Act Section 8(b) Inventory.

**CERCLA RQ:** This material, as supplied, does contain a substance regulated as hazardous substances

under the Comprehensive Environmental Response Compensation and Liability Act

(CERCLA) (40 CFR 302).

Ethylene Glycol (107-21-1)

- Hazardous Substances RQ: 5000 lb

**SARA 313:** Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986

(SARA). This product does not contain any chemicals which are subject to the reporting

requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

This product does not contain any substance which is regulated pollutants pursuant to the

Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**California Prop 65:** WARNING: This product can expose you to Ethylene Glycol which is known to the State

of California to cause reproductive harm. For more information go to

www.P65Warnings.ca.gov.

#### U.S. State Right-to-Know Regulations

Clean Water Act:

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Water	-	-	X
Ethylene Glycol	X	X	X

SECTION 16	OTHER INFORMATION			
NFPA:	<b>Health Hazards</b> 1	Flammability	Instability ()	Special Hazards Not determined
HMIS:	Health Hazards	Flammability	<b>Physical Hazards</b>	Personal Protection Not determined
Previous Editions:	First Published: 03/14/2022			
Disclaimer:	To the best of our knowledge, the information contained herein is accurate. However Duro-Last®, Inc. does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be handled with care. Although Duro-Last®, Inc. has described herein all of the hazards to which we are currently aware; we cannot guarantee that these are the only hazards which exist.			